

8dBi Circular Polarized Antenna

SRF-402

Features

- Circular polarization.
- Low VSWR (voltage standing wave ratio).
- 8dBi gain.
- Frequency range: 902MHz~928MHz



Spec.


Frequency Range	902MHz~928MHz
Gain	8±1dBi
Half Power Beamwidth	Hor.: 70° Vert.: 65°
Impedance	50Ω
VSWR	≤1.4
Power	100W
Connector	N-Female
Effective Area	≤0.2m ²
Maximum Wind Strength	36.9m/s
Spec.	
Dimensions	Antenna (mm): 260×260×45
	Packing (mm): 630×435×335
	Pole (mm): φ40~φ50
Total Weight	1.0kg
Radioactive Material	Aluminum
Radome Material	ABS
Working Temperature	-40°C~55°C

Product Introduction


SRF-402 circular polarized antenna is provided with robust structure, stable performance, fashion appearance, and simple installation. Its bandwidth is 902MHz to 928MHz, and it can be directly mounted on the wall or rack.

Application

- Container management
- Warehousing and logistics management
- Asset tracking management
- Electronic toll collection management



H-Plane



E-Plane

■ SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE